

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24266

Stream : Goose Creek

Applicant : Michael Allen
P.O. Box 482
Morgantown, IN 46160-0482

Description : Three areas within the floodplain of Goose Creek will be excavated to create wetlands. The proposed wetland area will be approximately 4 feet deep with an approximate sideslope of 5:1. The total disturbed area for this project is 12 acres. All excavated material will be hauled from the site. Details of the project are contained in information and plans received at the Division of Water on April 9, 2007.

Location : North side of Goose Creek, north of County Road 700 south and west of County Road 575 west, Sections 20 and 21, Township 11 North, Range 3 west near Franklin, Hensley Township, Johnson County
E½, SE¼, SE¼, Section 20, T 11N, R 3E, Beanblossom Quadrangle
Quad Code: 3908632
UTM Coordinates: Downstream 4358571 North, 567542 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24279

Stream : Wabash River

Applicant : *Indiana Department of Transportation
Richard L Phillabaum
100 North Senate Avenue, Room N642
Indianapolis, IN 46204-2216

Description : The existing steel truss bridge will be relocated immediately downstream and replaced with a steel girder bridge with span length(s) of 245' and 270'. The concrete abutments will have 2:1 side slopes armored with riprap over geotextile fabric. The abutments and piers will be skewed 0 degrees. The existing structure will be completely removed. The approach roads will not be elevated above existing grade. Approximately 6500 feet of roadway will be realigned. Details of the project are contained in information and plans received at the Division of Water on April 13, 2007.

Location : At the State Route 64 river crossing
near Mt.Carmel, Montgomery Township, Gibson County
SW¼, SE¼, SE¼, Section 27, T 1S, R 12W, Mount Carmel, IL-IN Quadrangle
Quad Code: 3808747
UTM Coordinates: Downstream 4249740 North, 434831 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24286

Stream : Mississinewa River

Applicant : City of Gas City
Mayor H Larry Leach
211 East Main Street
Gas City, IN 46933-1457

Description : A 36" outfall structure will be constructed along the right (east) bank. Approximately 220' of 36" pipe will be constructed 2' above the 100-year frequency flood elevation, will be backfilled with dirt and will terminate at the outfall structure. The existing wastewater treatment facility will be expanded streamward totaling approximately 210,000 square foot area that will be elevated 2' above the 100-year frequency flood elevation. Details of the project are contained in information and plans received at the Division of Water on April 19, 2007.

Location : The project is located in the City of Gas City's existing WWTP site and city owned park. The WWTP site is located along the Mississinewa River approximately 1600 feet south of the State Road 22/US 35 bridge near Gas City, Mill Township, Grant County NW¼, SE¼, NW¼, Section 33, T 24N, R 8E, Fairmount Quadrangle Quad Code: 4008546 UTM Coordinates: Downstream 4482292 North, 617212 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24287

Stream : Deer Creek

Applicant : Marathon Pipe Line LLC
Richet M Clark
539 South Main Street
Findley, OH 45840-3229

Description : An exposed 10" pipeline measuring approximately 11' in length will be covered with four 20' by 8' by 4.5" Submar revetment mats. The mats will be keyed into the streambed and banks along a 3' trench, and the trench will be backfilled with riprap. Excavated material will be stockpiled in upland areas and will be encapsulated by sediment barriers if necessary so that no material, rock or soil, will be stockpiled in the stream. Excavation will be performed from equipment working from top-of-bank. Construction equipment may cross the stream on timber mats to access the other side, and all timber mats will be removed immediately following construction. Installation will occur "in the dry", and if required, a sand bag dam will be installed to serve as a temporary dike around the work area. The temporary dam will allow work to be conducted in dry conditions, thereby minimizing potential for erosion and sediment release in the river. If necessary, the work site will be dewatered to a well-vegetated upland area. All water pumped from the trench will be filtered to remove sediment prior to discharge. The dam will be completely removed following construction, and all disturbed areas and stream banks will be re-graded to original contours. Details of the project are contained in information and plans received at the Division of Water on April 19, 2007.

Location : Approximately 1300' east and 1000' north County Road 50 South and County Road 475 East intersection
near Fillmore, Marion Township, Putnam County
NE¼, SE¼, NE¼, Section 17, T 14N, R 3W, Greencastle Quadrangle
Quad Code: 3908667
UTM Coordinates: Downstream 4389535 North, 520360 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24288

Stream : Black River

Applicant : Marathon Pipe Line LLC
Richet M Clark
539 South Main Street
Findley, OH 45840-3229

Description : 150 grout bags containing 60 lbs of a 3 part sand to 1 part cement mixture will be placed around 20' of a 20" diameter crude oil pipeline currently exposed in Black River. The grout bags will be placed by divers to ensure proper placement. The bags will be placed two deep at the maintenance site, with a 3:1 slope ratio on both the upstream and downstream sides of the exposed pipe. Additional bags will also be placed at the ends of the uncovered pipeline section for further protection of the shallow pipeline. Details of the project are contained in information and plans received at the Division of Water on April 19, 2007.

Location : Approximately 5350' upstream of the confluence with Higginbotham Ditch near Poseyville, Bethel Township, Posey County
SE¼, NE¼, NW¼, Section 35, T 3S, R 13W, Poseyville Quadrangle
Quad Code: 3808727
UTM Coordinates: Downstream 4231129 North, 427582 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24290

Stream : St. Joseph River

Applicant : Per R Anderson
9882 North 700 East
New Carlisle, IN 46552-8900

Description : An existing concrete seawall will be extended 43' to the east. The seawall will be 4' to 5' high as measured from the riverbed along the same alignment as the existing seawall. A 24' wide deck will be constructed along the overbank above the proposed seawall. Horizontal beams will be anchored in to the seawall with deadmen spaced at 8' apart, and the wooden deck will be anchored to the beams. A 3' high railing will be constructed around the deck. Details of the project are contained in information and plans received at the Division of Water on April 20, 2007.

Location : Along the right (north) bank, approximately 5700' downstream of the State Road 219 river crossing
near Osceola, Harris Township, St. Joseph County
SE¼, SE¼, NE¼, Section 8, T 37N, R 4E, Osceola Quadrangle
Quad Code: 4108661
UTM Coordinates: Downstream 4614150 North, 576458 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24293

Stream : Sugar Run

Applicant : Marathon Pipe Line LLC
Richet M Clark
539 South Main Street
Findley, OH 45840-3229

Description : An exposed 10" pipeline measuring approximately 10' in length will be covered with four 20' by 8' by 4.5" Submar revetment mats. The mats will be keyed into the streambed and banks along a 3' trench, and the trench will be backfilled with riprap. Excavated material will be stockpiled in upland areas and will be encapsulated by sediment barriers if necessary so that no material, rock or soil, will be stockpiled in the stream. Excavation will be performed from equipment working from top-of-bank. Construction equipment may cross the stream on timber mats to access the other side, and all timber mats will be removed immediately following construction. Installation will occur "in the dry", and if required, a sand bag dam will be installed to serve as a temporary dike around the work area. The temporary dam will allow work to be conducted in dry conditions, thereby minimizing potential for erosion and sediment release in the river. If necessary, the work site will be dewatered to a well-vegetated upland area. All water pumped from the trench will be filtered to remove sediment prior to discharge. The dam will be completely removed following construction, and all disturbed areas and stream banks will be re-graded to original contours.

Details of the project are contained in information and plans received at the Division of Water on April 23, 2007.

Location : Approximately 2500' south and 100' west of the East 241st Street and Fall Road intersection
near Cicero, White River Township, Hamilton County
SE¼, SE¼, SE¼, Section 32, T 20N, R 5E, Riverwood Quadrangle
Quad Code: 4008518
UTM Coordinates: Downstream 4442975 North, 587125 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24294

Stream : West Fork White Lick Creek

Applicant : Marathon Pipe Line LLC
Richet M Clark
539 South Main Street
Findley, OH 45840-3229

Description : An exposed 10" pipeline measuring approximately 19' in length will be covered with eight 20' by 8' by 4.5" Submar revetment mats. The mats will be keyed into the streambed and banks along a 3' trench, and the trench will be backfilled with riprap. Excavated material will be stockpiled in upland areas and will be encapsulated by sediment barriers if necessary so that no material, rock or soil, will be stockpiled in the stream. Excavation will be performed from equipment working from top-of-bank. Construction equipment may cross the stream on timber mats to access the other side, and all timber mats will be removed immediately following construction. Installation will occur "in the dry", and if required, a sand bag dam will be installed to serve as a temporary dike around the work area. The temporary dam will allow work to be conducted in dry conditions, thereby minimizing potential for erosion and sediment release in the river. If necessary, the work site will be dewatered to a well-vegetated upland area. All water pumped from the trench will be filtered to remove sediment prior to discharge. The dam will be completely removed following construction, and all disturbed areas and stream banks will be re-graded to original contours. Details of the project are contained in information and plans received at the Division of Water on April 23, 2007.

Location : Approximately 1800' west and 200' south of the US 136 and County Road 550 East intersection
near Pittsboro, Middle Township, Hendricks County
SE¼, NW¼, NW¼, Section 4, T 16N, R 1E, Brownsburg Quadrangle
Quad Code: 3908674
UTM Coordinates: Downstream 4411740 North, 548215 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24295

Stream : St. Marys River

Applicant : Fort Wayne City Utilities
Greg Meszaros
1 East Main Street
Fort Wayne, IN 46802-1815

Description : A 42" diameter outfall structure with a headwall structure will be constructed. The pipe invert will be at 758.31'. In addition, a bio-swale will be constructed from the outfall to the river. The swale will have a 40' wide bottom and 3:1 side slopes. Details of the project are contained in information and plans received at the Division of Water on April 23, 2007.

Location : Approximately 300' upstream (south) of the Norfolk and Western railroad crossing
DOWNSTREAM: at Fort Wayne, Wayne Township, Allen County
NW¼, NW¼, NE¼, Section 15, T 30N, R 12E, Fort Wayne West Quadrangle
Quad Code: 4108512
UTM Coordinates: Downstream 4547077 North, 654539 East
UPSTREAM:
UTM Coordinates: Upstream 4547077 North, 654539 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24299

Stream : Lick Run

Applicant : Thomas L Horlacher
995 South County Road 800 West
Frankfort, IN 46041-6820

Description : Approximately 50' of 100' eroded (east/west) streambank will be stabilized with a rip rap lined stream crossing to protect the bank from further erosion. The rip rap will be keyed into the streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 12', a maximum streamward projection of 2' beyond the existing bank, and 10:1 sideslopes.

Location : Along the East and West bank of Lick Run approximately 1/4 mile East of CR 700 West near I65 and SR 28 intersection

near Mulberry, Washington Township, Clinton County
N½, SW¼, Section 10, T 21N, R 2W, Mulberry Quadrangle
Quad Code: 4008636

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24301

Stream : Little Windy Creek

Applicant : Twin Fork Development Corporation
Mark R Ramsey
712 Jefferson Street
Tell City, IN 47586-1757

Description : A new bridge will be constructed over Little Windy Creek to carry a public roadway across the stream. The new structure will be a 35'-span concrete bridge. The structure will have an out-to-out length of 50 ft and a clear roadway width of 28 ft. The spill through abutments will have 3:1 sideslopes armored with rip rap. The abutments will be skewed 0 degrees to align with streamflow. The approach roads will be elevated a maximum of 3 ft above the existing grade. A temporary construction access crossing will be placed within the right-of-way on the upstream side of the proposed bridge. It will be completely removed from the floodway upon completion of the bridge.
Details of the project are contained in information received electronically at the Division of Water on April 30, 2007 and in plans and information received at the Division of Water on

Location : Approximately 300 feet upstream of the Dauby Lane crossing of Little Windy Creek. Approximately 200 feet east of Dauby Lane

Part of the NE 1/4 of the SW 1/4 of Section 28, T6S, R3W, Tell City, Perry County, IN
at Tell City, Troy Township, Perry County
Section 28, T 6S, R 3W, Cannelton, IN-KY Quadrangle
Quad Code: 3708686

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24302

Stream : White Lick Creek

Applicant : The Town of Plainfield
Timothy A Belcher
206 West Main Street
Plainfield, IN 46168-2525

Description : A 15 and 36 inch diameter sanitary sewer line will be placed beneath the West Fork of White Lick Creek to provide sanitary sewer service to Belleville. The line will be placed by the open-cut method. It will have 3 ft of cover beneath the streambed and up to 18 ft at the top of the bank. The line will either be encased in concrete or will be ductile iron pipe for the section below the streambed. Details of the project are contained in information received electronically at the Division of Water on April 30, 2007 and in plans and information received at the Division of Water on

Location : The lift station will be constructed on the west side of County Road 600 E approximately 1.2 miles south of County Road 600 S. The sewer will extend from the lift station to the Belleville Wastewater Treatment Plant located on County Road E 601 S and will be installed in the northern floodway of the West Fork of White Lick Creek and along an unnamed tributary to the West Fork of White Lick Creek in Guilford Township, Hendricks County. Latitude and longitude for downstream and upstream connections points are 39°39'24" N, 86°25'06" and 39°40'26" N, 86°27'08" E respectively. Project is located in portions of NW ¼, NE ¼, SE ¼ Section 8; SW ¼ Section 9; NE ¼ Section 16 near Plainfield, Guilford Township, Hendricks County
T 14N, R 1E, Plainfield Quadrangle
Quad Code: 3908664

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24303

Stream : Burnett Creek

Applicant : Pamela Lachcik
5826 North 9th Street
West Lafayette, IN 47906-8624

Description : A log jam approximately 70' wide by 120' in length will be removed from Burnett Creek. The debris will be removed by a vehicle with a winch that will be parked on a nearby road and chain saws. Details of the project are contained in information and plans received at the Division of Water on April 30, 2007.

Location : Approximately 3800' downstream from the Prophets Rock Road crossing near West Lafayette, Tippecanoe Township, Tippecanoe County
NE¼, SE¼, NE¼, Section 27, T 24N, R 4W, Brookston Quadrangle
Quad Code: 4008657
UTM Coordinates: Downstream 4483308 North, 512669 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-24306

Stream : Yellow River

Applicant : *Indiana Department of Natural Resources
Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street, Room W273
Indianapolis, IN 46204-2781

Description : A water and control distribution system rehabilitation is proposed. Details of the project are contained in information and plans received at the Division of Water on March 19, 2007.

Location : Kankakee State Fish and Wildlife Area
DOWNSTREAM: near North Judson, Jackson Township, Starke County
NW¼, Section 31, T 33N, R 3W, English Lake Quadrangle
Quad Code: 4108637
UTM Coordinates: Downstream 4569063 North, 515618 East
UPSTREAM: near Knox, Jackson Township, Starke County
E½, Section 15, T 33N, R 3W, Knox West Quadrangle
Quad Code: 4108636
UTM Coordinates: Upstream 4573805 North, 521990 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24307

Stream : Jordan Ditch

Applicant : *Indiana Department of Natural Resources
Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street, Room W273
Indianapolis, IN 46204-2781

Description : A water and control distribution system rehabilitation is proposed. Details of the project are contained in information and plans received at the Division of Water on March 19, 2007.

Location : Kankakee State Fish and Wildlife Area
DOWNSTREAM: near North Judson, Jackson Township, Starke County
NW¼, Section 31, T 33N, R 3W, English Lake Quadrangle
Quad Code: 4108637
UTM Coordinates: Downstream 4569063 North, 515618 East
UPSTREAM: near Knox, Jackson Township, Starke County
E½, Section 15, T 33N, R 3W, Knox West Quadrangle
Quad Code: 4108636
UTM Coordinates: Upstream 4573805 North, 521990 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-24308

Stream : Prettyman Ditch

Applicant : *Indiana Department of Natural Resources
Division of Fish & Wildlife
Gregg McCollam
402 West Washington Street, Room W273
Indianapolis, IN 46204-2781

Description : A water and control distribution system rehabilitation is proposed. Details of the project are contained in information and plans received at the Division of Water on March 19, 2007.

Location : Kankakee State Fish and Wildlife Area
DOWNSTREAM: near North Judson, Jackson Township, Starke County
NW¼, Section 31, T 33N, R 3W, English Lake Quadrangle
Quad Code: 4108637
UTM Coordinates: Downstream 4569063 North, 515618 East
UPSTREAM: near Knox, Jackson Township, Starke County
E½, Section 15, T 33N, R 3W, Knox West Quadrangle
Quad Code: 4108636
UTM Coordinates: Upstream 4573805 North, 521990 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20731

Lake : Bass Lake

Applicant : LMW Investments, LLC
Patrick L Mitchell
2596 South 350 East
Knox, IN 46534-9240

Description : A new seawall will be constructed along the frontage of the applicant on Bass Lake to deter shoreline erosion. The wall will composed of 2 inch to 12 inch diameter natural glacier stone and will be approximately 145 ft long. Its lakeward face will be at the average normal shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on April 30, 2007 and in plans and information received at the Division of Water on

Location : New construction site on the North side of Bass Lake called the Anchorage. Located at North Shore Drive and CR 210. Locally known as the property adjacent to the Shore Club.
Near Knox, North Bend Township, Starke County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20732

Lake : Dewart Lake

Applicant : Richard Mishler
196 EMS D23 Lane
Syracuse, IN 46567-7952

Description : An existing concrete seawall will be refaced across a portion of the 45 ft frontage of the applicant on Dewart Lake to prevent deterioration. The refacing will consist of poured in place concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12 inches and will be sloped on the lakeward side. A 24 inch wide poured in place concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on April 30, 2007 and in plans and information received at the Division of Water on

Location : 196 EMS D23 LN, North West side of Dewart Lake, near the town of Syracuse in Van Buren township, in Kosciusko County.

Legal Description: 027-098-276 Lot 3 Vanes Point Dewart Lake
near Syracuse, Van Buren Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20733

Lake : Golden Lake

Applicant : Daniel J Anthony
2650 South 390 West
Pleasant Lake, IN 46779-9750

Description : A new underwater beach will be constructed in front of the property of the applicant on Golden Lake to provide an area suitable for swimming. The beach will consist of a 4 inch to 6 inch thick layer of 7/64 inch clean, washed pea gravel placed directly on the lakebed. The beach will begin approximately 3 ft south of the northern property line and will extend southerly across 15 ft of the 50 ft frontage. It (will have a maximum lakeward projection of 15 ft.

Details of the project are contained in information received electronically at the Division of Water on April 30, 2007 and in plans and information received at the Division of Water on

Location : Golden Lake, Steuben Township, Steuben County, near the town of Pleasant Lake, Indiana. 2660 South 390 West. Southwest 1/4 of Section 5 and Southeast 1/4 of Section 6 township 36 north, range 13 east. Lot number 10 in the Plat of Rosewood, according to the recorded plat in Plat Book 4, page 15, in the Office of the Steuben County, Indiana Recorder.
near Pleasant Lake, Steuben Township, Steuben County
T 36N, R 13E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-20735

Lake : Pine Lake

Applicant : City of LaPorte
Casey Sullivan
Parks and Recreation
250 Pine Lake Avenue
LaPorte, IN 46350-3032

Description : An access channel will be excavated along the south side of the Pine Lake to provide passage. The channel is approximately 900 ft long, 40ft wide and will be excavated to a depth of 6 ft below the existing grade. It has side slopes which were stabilized with vegetation. Fill (sand) removed from the excavation will be hauled to a disposal site located within the floodway where it will be graded. The construction will require the excavation of 100 yds of material. This application is for ongoing maintenance to address sand migration to channel opening. Details of the project are contained in information and plans received at the Division of Water on April 27, 2007.

Location : The project location is Along Waverly Road in the City of La Porte between the two lakes of Stone and Pine. It is a channel that runs between the two lakes. The effort is to continually maintain sediment flow that comes from sand migration from Pine Lake. Slight bank fill will also be addressed.
at LaPorte, Scipio Township, LaPorte County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11